



THE WORLD'S FIRST PLATINUM ION WATER

首创 远红外线 + 钛离子水



第六代
UP TO
15.82 μ m
(2.26 μ m/pc)

JAPAN TECHNOLOGY

A medically acclaimed water unit recognized by the Japan & Korea government & 70% widely used

日本科技

日本, 韩国政府批为保健医疗器材及70%家庭广泛使用



日本厚生省认定疗效

- 糖尿病患者的血糖值下降
- 糖尿病坏疽症的末梢循环改善
- 肝疾患者的肝脏功能获得改善
- 新生儿黄疸血值改善
- 高血压，低血压情况改善
- 痛风患者的尿酸值下降
- 手术后肠管麻痹情况有初步改善
- 胃切除手术后持续性下痢情况改善
- 胃，十二指肠溃疡病情改善，复发率也降低
- 哮喘，荨麻疹，鼻炎，皮肤炎等过敏症状改善

日本各医院对电解离子水临床试验

症状	结果	医院	主治大夫
消化不良	19-43天痊愈	國仲醫院	國仲寛长 博士
便秘	很快治愈	鍛治診療所	西尾直人 博士
糖尿病	49歳/男 血糖値300mg 30天改善	協和醫院	桑田敏二郎 博士
心臟病	60 天改善	國仲醫院	國仲寛长 博士
骨骼疏鬆症	60 天改善	神戸協和醫院	河村宗典 博士
高膽固醇	30 天恢復正常	鍛治診療所	西尾直人 博士
五十肩	14 天症狀消失	鍛治診療所	西尾直人 博士
噁心和嘔吐	2 天見效	順天常醫大外科	小暮堅三 博士
濕疹	60 天痊愈	景福理學診療所	田村 治 博士
哮喘病	90 天後很少發作	國仲醫院	國仲寛长 博士
妊娠中毒	痊愈	渡邊醫院	渡邊 勳
過敏性皮炎	30 天痊愈	小木医院	小暮堅三 博士

听听专家博士怎么说？



日本厚生省官方文告“碱离子水对一些病症的实际功效得到了科学的承认对慢性腹泻，消化不良，胃肠内异常发酵，胃酸过多有效，而且断定其对改善便秘也效果显著。”

- 碱离子水可提高血液中的脂肪代谢，抑制脂肪沉着的效果
- 长期饮用碱离子水可预防衰老
- 血压上升的趋势明显减弱
- 对骨质疏松具有疗效

摘录 《水决定健康》 日本藤田统一郎 著



“只有利用好的机械所制造出来的水，才是真正的电解离子水。若使用白金烧成钛，寿命可维持十年，能长久使用且不必担心会有毒性物溶出，就安全性而言也大可安心。此外，在性能方面能发挥较高功能，在短时间内处理大量的水，瞬间制造出pH值范围较广的水。”

“但必须注意的就是钛也分为〔镀钛〕或〔烧成合金钛〕，后者可用十年，这是电解槽能清洗顺畅的条件。”

摘录 《喝水健康法》 日本理学博士 - 三宅肇 著



“过劳或压力将可能导致疾病缠身，想要改善疾病症状，不能只靠药物，人体既有的自愈力才能让疾病远离你。日本临床报告证实，碱性离子水的确能提升自愈力。电解碱性离子水能将体质从酸性转变为弱碱性，强化人体原有的抗菌性，让你从根本增强抵抗力。”

摘录 《水博士教你喝出自愈力不生病》 日本理学博士 - 三宅肇 著



“使用电解水机的先决条件必须是其水源水质非常好，假如电解水机接用的水源水质不好，则经电解水机电解过后的水质，对人体健康反而有危害。消费者喝进的是对人体有害的重金属浓缩水。”

- 慢性肝炎有一位六十多岁慢性肝炎病人，在别的医院打点滴，吃药治疗，但肝功能没有好转。自从转到协和，改用碱性离子水后，肝功能即逐日恢复，出院后，河村建议他家里所有食品都用碱性离子水处理，经过三个月，检查结果显示他的肝功能已经复元。
- 十二指肠溃疡另外一位四十六岁的十二指肠溃疡患者在纯药物医治了十多年不见好转痛苦不堪决定开刀切除，但协和医院只鼓励他住院，以药物配合电解水双管齐下，结果溃疡痊愈，不再复发。

摘录 《电解水是好水》 台大医学院生化研究所吕锋洲教授 编著



“Believe it or not, 信不信由你！”

“你有得到健康的自由，也有罹患疾病的可能。”

“电解水可消除万病之源的活性氧，是已被证明的事实。”

摘录 《因水而死》 日本著名医学专家 - 林秀光博士 著

真人真事



改善血糖指数



改善骨痛热症



改善乳癌, 气色精神好转



口气问题



鼻子敏感 · 胃酸倒流



改善中风



改善糖尿指数, 伤口溃烂



Before



After


小孩脚敏感
每天晚上用E-IONS酸性水泡脚
大约1个星期多, 可以看见脚的皮肤好了非常多



改善癫痫症, 咳嗽



改善疲惫, 皮肤问题



体重减轻10kg



改善血糖指数



治愈皮肤灼伤



手脚麻痹 · 雀斑



改善肝功能和视线模糊



肿瘤 · 糖尿病



血浊万病由酸起

大量肉类, 碳酸饮料, 高脂肪食物, 酒等等



不良饮食习惯



- √ 器官组织机能虚弱
- √ 阻碍新陈代谢
- √ 减弱细胞作用
- √ 增加肾, 肝脏负担
- √ 废物不易排除

酸性体质



形成自由基

高血压
糖尿病
尿酸
癌症
心脏病



文明病



符合無害物质指令

全机通过化验报告 (共133项)
全机零件及水质符合SIRIM严格验证



美国NSF材料管子认证



ISO 9001 认证



台湾SGS认证



ISTA 认证



CE认证



德国TUV认证



日本ACF除鉛測試報告



日本厚生省认证



日本試用新案例录证



日本神戸制鋼品质证明书



E-IONS Acidic Water 通过 ALS 检验报告

E-IONS Acidic Water passed ALS inspection report



ALS Environmental

CERTIFICATE OF ANALYSIS

Work Order	ES1930386	Page	1 of 12
Amendment	2	Laboratory	Environmental Division Sydney
Client	E-IONS CORPORATION SON BHD ←	Contact	Customer Services ES
Contact	MR CHOW	Address	277-289 Woodpark Road Smithfield NSW Australia 2154
Address	46-1, JLN 6/18A, TAMAN MASTIARA, KUALA LUMPUR 51200	Telephone	+61-2-8784 6555
Telephone	----	Date Samples Received	19-Sep-2019 10:03
Project	----	Date Analysis Commenced	19-Sep-2019
Order number	----	Issue Date	26-Feb-2020 11:58
C-O-C number	----		
Sample	----		
Site	----		
Quote number	EN/333		
No. of samples received	1		
No. of samples analysed	1		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Alex Rossi	Organic Chemist	Sydney Organics, Smithfield, NSW
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Celine Conceicao	Senior Spectroscopist	Sydney Inorganics, Smithfield, NSW
Franco Lentini	LCMS Coordinator	Sydney Organics, Smithfield, NSW
Hoa Nguyen	Senior Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Ivan Taylor	Analyst	Sydney Inorganics, Smithfield, NSW
Tony DeGouza	Senior Microbiologist	Sydney Microbiology, Smithfield, NSW



E-IONS Acidic Water 通过 ALS 检验报告

E-IONS Acidic Water passed ALS inspection report

Page: 3 of 3
 Work Order: MF2005269
 Client: E-IONS CORPORATION SDN BHD
 PROJECT: —



Analytical Results

Sample ID: MF2005269-001
 E-IONS BEAUTY WATER

Microbial Challenge Test METH USP <51>											
Test Organism	Inoculum Count (cfu/ml)	Contact Time: 0 Min		Contact Time: 2 Min		Contact Time: 1 Hour		Contact Time: 3 Hour		Contact Time: 4 Hour	
		Result (cfu/ml)	Percentage of Bacteria Reduced (%)	Result (cfu/ml)	Percentage of Bacteria Reduced (%)	Result (cfu/ml)	Percentage of Bacteria Reduced (%)	Result (cfu/ml)	Percentage of Bacteria Reduced (%)	Result (cfu/ml)	Percentage of Bacteria Reduced (%)
<i>Candida albicans</i> ATCC 10231	2.1 X 10 ⁶	1.5 X 10 ⁵	28.6	1.2 X 10 ⁵	42.9	6.0 X 10 ¹	99.9	<1	>99.9	<1	>99.9
<i>Aspergillus niger</i> ATCC 16404	1.9 X 10 ⁶	1.8 X 10 ⁶	5.3	1.6 X 10 ⁵	15.8	1.5 X 10 ⁵	21.1	1.3 X 10 ⁵	31.6	1.1 X 10 ⁵	42.1
<i>Escherichia coli</i> ATCC 8739	8.7 X 10 ⁶	7.4 X 10 ⁵	14.9	4.4 X 10 ⁵	49.4	3.4 X 10 ⁵	60.9	3.2 X 10 ⁵	63.2	2.7 X 10 ⁵	69.0
<i>Pseudomonas aeruginosa</i> ATCC 9027	4.8 X 10 ⁶	3.8 X 10 ⁵	17.4	3.6 X 10 ⁵	21.7	3.2 X 10 ⁵	30.4	3.0 X 10 ⁴	93.5	2.4 X 10 ⁴	94.8
<i>Staphylococcus aureus</i> ATCC 6538	9.8 X 10 ⁶	8.8 X 10 ⁵	10.2	8.4 X 10 ⁵	14.3	7.3 X 10 ⁵	25.5	6.7 X 10 ⁵	31.6	6.3 X 10 ⁵	35.7
<i>Enterococcus faecalis</i> ATCC 29212	6.3 X 10 ⁶	<1	>99.9	<1	>99.9	<1	>99.9	<1	>99.9	<1	>99.9
UNINOCULATED SWARE	NO GROWTH										

<1 - NOT DETECTED

Kill >99.9% Bacteria





E-IONS Acidic Water 通过 ALS 检验报告

E-IONS Acidic Water passed ALS inspection report

Page: 3 of 12
 Work Order: ES1903086 Amendment 2
 Client: E-IONS CORPORATION SDN BHD
 Project: ---



Analytical Results

Substrate: WATER	Client sample ID			KL1903076				
(Matrix: WATER)	Client sampling date / time			19-Sep-2019				
Compound	CAS Number	LOR	Unit	ES1903086-001				
				Result				
E4008P: pH by PC Titrator								
pH Value		0.01	pH Unit	9.55				
E4010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C		1	µS/cm	170				
EAD19: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @ 180°C		10	mg/L	60				
EAD41: Colour (True)								
Colour (True)		1	PCU	<1				
pH Colour		0.01	pH Unit	10.6				
EAD45: Turbidity								
Turbidity		0.1	NTU	<0.1				
EAD65: Total Hardness as CaCO3								
Total Hardness as CaCO3		1	mg/L	25				
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO3	D40-210-001	1	mg/L	<1				
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	26				
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	23				
Total Alkalinity as CaCO3		1	mg/L	59				
ED041G: Sulfate (Turbidimetric) as SO4 2- by DA								
Sulfate as SO4 - Turbidimetric	14508-79-8	1	mg/L	2				
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	10				
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	5				
Magnesium	7439-95-4	1	mg/L	3				
Sodium	7440-20-5	1	mg/L	18				
Potassium	7440-09-7	1	mg/L	2				
EQ020T: Total Metals by ICP-MS								
Aluminium	7429-00-5	0.01	mg/L	<0.01				
Silver	7440-22-4	0.001	mg/L	<0.001				
Arsenic	7440-38-2	0.001	mg/L	<0.001				
Boron	7440-42-8	0.05	mg/L	0.21				
Barium	7440-39-3	0.001	mg/L	0.003				
Cadmium	7440-43-9	0.0001	mg/L	<0.0001				

pH Test →

Mineral Test →

效果

PP Polypropylene
除泥, 灰尘和铁锈微粒



自來水

UF Membrane (0.01-0.1µm)
除细菌, 病毒, 泥浆,
石棉和腐殖材料



NSF GAC Carbon
除氯苯和自来水中
有机化学品

NSF 符合美国NSF材質認證

UNITIKA



日本UNITIKA滤芯
(ISO9001)

- 精制壳碳原料 除有机物
- 特殊离子交换材料 溶解性铅
- 碳纤维活性炭 游离残留元素
- 抗菌活性炭 杀菌
- 银离子 杀菌 99.9%
- 亚硫酸钙 除氯

采用日本Unitika 不含有害物质原料

OH⁻
负离子水
碱性

H⁺
氢离子水
酸性



遠紅外線
• 活化細胞
• 保持水不會寒涼



电解
碱性水

能量水

还原
水素水

负离子水

电解水

富氢水

小分子水

氢离子水

共振水

=

E-IONS
养生水

这不是普通的水
是您一家人的健康养生水

OH⁻ 碱性负离子水好处



中和
人体酸毒



清新空气,
产生负离子



排毒促进
新陈代谢



拭擦金饰或名表



帮助清除
多余脂肪



清洗镜面,
去除油垢,
灰尘和指纹



烹饪及
日常饮用



消除腋下体味



清新办公室内空气,
产生负离子



汽车行驶30分钟
后使用,增加车内
负离子,有效洁净
车内空气

H⁺ 酸性负离子水好处



消除眼睛红肿



去除头皮,
让发质更顺滑



消除口腔气味



有效改善喉咙痛
和发炎



帮助恢复皮肤
因烧伤或割伤
引起的疤痕



清除汽车
方向盘细菌



负离子水 (碱性pH8 ~ pH10)

- 保持水中钙, 镁, 钠, 钾等离子被阴极吸取后, 负氢氧离子(OH)增加而成碱性, 可中和人体内的酸毒, 改变酸性体质

OH⁻
负离子水
碱性

小水分子团

- 分解至5-6个分子团, 矿物质已被离子化, 增强溶解力与渗透力导致人体更容易吸收
- 更有效清除细胞及血液中的废物残渣, 促进新陈代谢
- 使用经处理后的水源, 烹煮时更能提升食物的美味

具有抗氧化及还原电位 (ORP)

- 有-250mV至-650mV的惊人抗氧化还原电位
- 能迅速消除自由基 (活性氧), 中和酸毒, 彻底清除人体致病因子及让我们再度年轻

氢离子水 (pH3 ~ pH6)

- 适当的饮用, 可改善喉咙不适, 轻微发烧, 胃病, 止泻及骨痛热症

H⁺
氢离子水
酸性

超强抗菌除臭功能 (pH3.5)

- 清洗厨房, 各类家俱, 地板, 车内座椅等
- 天然消毒水, 快速化脓收敛, 改善伤口愈合进度及各种皮肤病
- 有效快速止血, 止痒, 消红肿及蚊虫叮咬
- 有效适合清洁牙齿, 降低牙周病发生率, 预防口腔异味, 保持口腔健康清新

美容及护发 (pH5.5 ~ pH6)



- 防止雀斑和暗疮的滋生, 天然的美白护肤品
- 洗脸美容沐浴, 可改善头皮屑及脱发问题

市场上最小的小分子水

实验结果报告 0-NMR分光法

小分子水报告 (2017年10月31日)

检测业务报告: 財團法人工業技術研究院



品质


電解力 No.1

日本煅燒燒結鈦白金 1.2 μ m 每片



升级至

2.26 μ m 每片



原装进口

簡易DIY可拆除離子交換膜

- 日本煅燒燒結鈦白金电极板，电解寿命最长
- 原装进口电解陶瓷隔膜离子型纸
- 独特DIY設計，大幅度提升电解寿命，降低维修时间及成本


獨家專利



台湾专利
No.M548590



中国专利
No.ZL 2017 2 0330284.X



日本烧结钛白金

Analysis Result of E-IONS Pure Titanium Class 1 From Japan KOBE-Steel

Available manufacturing scope of Commercially pure titanium products (KS40S, KS40, KS60, KS60, JIS Class-1, JIS Class-2, ASTM G1, ASTM G2)

	Sheet thickness(mm)	Sheet width (m)	W _{0.050}	W _{0.100}	960<W _{0.100}	1060<W _{0.120}	Surface-finishing (KOBESTEEL Standard)
	Coldrolled commercially pure Titanium	0.80<=t<1.00					
Hotrolled commercially pure Titanium							No.1

独家专利
OWN PATENTED



Pure Titanium

JIS Class-1

不含重金属

钛白金不溶于水中

不含催化剂

不含
铅, 镉, 汞, 六价铬, 多溴联苯, 多
溴联苯醚阻燃剂



不含金黄色葡萄球菌

Latest Report of SGS Date : 13 April 2015

Copyright reserved by E-IONS Corporation

New New VIP Package / E-IONS 新VIP配套



Code	Total Platinum (2.26µm/pcs)	Total Electrode Plate	ORP	MP	Start From	VIP (WM)	VIP (EM)	PTS
NS1582TB Peach Red / Apple Green / Yellow / Black / Transparent Blue / Gold	15.82µm	7 pcs	-1600 mv	+5,880	RM383	13,800	13,900	3,100
NS1582 Crystal White, Platinum Silver, Light Blue, Rose Pink	15.82µm	7 pcs	-1600 mv	+5,600	RM378	13,600	13,700	3,100
NS1130 Crystal White only	11.30µm	5 pcs	-990mv	+1,600	RM267	9,600	9,700	2,600
NS678 Crystal White only	6.78µm	3 pcs	-500mv	-9,200	RM197	7,100	7,200	2,000
NS452 Crystal White only	4.52µm	2 pcs	-300mv	-6,875	RM153	5,500	5,600	1,700

购买任何 E-IONS 水机, 就可获取以下赠品:

Worth 总值 **RM1500**



Installation
免费安装



Online VIP Account
免费网上VIP账号

FREE 2 YEARS

- ✓ Parts Maintenance & Filter
- ✓ Membership
- ✓ 6 times Service

Worth 总值
RM1500



PMC Purifying Water System

EASY PAYMENT

12 Mths	 CIMB	 HSBC	 Hong Leong Bank	 Standard Chartered	 PUBLIC BANK	
	 Maybank	 UOB 大華銀行	 OCBC Bank			
18 Mths	 Standard Chartered	 Maybank	 UOB 大華銀行	 OCBC Bank	 PUBLIC BANK	
24 Mths	 HSBC	 Hong Leong Bank	 OCBC Bank	 Standard Chartered	 Maybank	 PUBLIC BANK
36 Mths	 HSBC	 Hong Leong Bank	 OCBC Bank	 Standard Chartered		

* Price shown is inclusive of 6% SST

* Terms and condition apply

* Discounted bills will commence from the service activation date, not subscription date

E-IONS CUSTOMER SERVICE

+6016-225 3598 / +60106-228 3593 / +6012-226 0523

世界首台

e-ions

能量分子-钛离子两秒即热+冷水机

40°C / 75°C / 85°C / 99°C

立体型
(站)



SM001

SM500, SM700

NEW
TECH

分期付款
每月从
RM119
起

分期付款高达36个月
(0% 利息)

MP-RM4,800
(DY, 不含运费)
现在只需 **RM4,300**
东马额外 RM300

分期付款
每月从
RM169
起

MP-RM6,800
现在只需 **RM6,100**
东马额外 RM300

免费两年
✓ 零件维修/滤芯
✓ 线上会员
✓ 6次上门服务

分期付款
每月从
RM236
起

能量两秒即热
+冷水机6µm钛白金
现在只需
RM8,500
东马额外 RM300
免费两年服务

分期付款
每月从
RM386
起

能量两秒即热
+冷水机14µm钛白金
现在只需
RM13,900
东马额外 RM300
免费两年服务

分期付款
每月从
RM322
起

能量两秒即热
+冷水机10µm钛白金
现在只需
RM11,600
东马额外 RM300
免费两年服务



可定制添加电解分子功能