



# THE WORLD'S FIRST PLATINUM ION WATER



2014 Shikhar  
Product & Service  
Quality Excellence Award



2012 - 2014  
The Best of Health  
Water Equipment



2011 - 2014  
SME Recognition Young  
Entrepreneur Award



Restriction of the  
use of hazardous  
substance directive

**6th Gen**  
UP TO  
**15.82 $\mu$ m**  
(2.26 $\mu$ m/pc)

## JAPAN TECHNOLOGY

A medically acclaimed water unit  
recognized by the Japan & Korea  
government & 70% widely used



## Japanese Ministry of Health identified effect

- Decrease in glucose levels for diabetic patients.
- Improvement in gangrene.
- Improvement in liver functions.
- Improvement in Jaundice among newborns.
- Improvement in high and low blood pressure.
- Decrease in uric acid for Gout patients.
- Improvement after intestinal surgeries.
- Improvement after stomach surgeries.
- Improvement in stomach ulcers and reduction of the relapse rate.
- Improvement in asthma, rhinitis, dermatitis and other allergies.

# Clinical trails of electrolytic Ion water by Japanese hospitals

Health Problem	Result	Medical institute	Researcher
Indigestion	Recovery time - 19 to 43 days	Kuninaka Hospital	Dr Kuninaka Hironage
Constipation	Quick recovery	Kajibashi Clinic	Dr Naoto Nishio
Diabetes	Improve in 30 days 49 year old male with 300mg blood glucose	Union Hospital	Dr Kuwata Keijiroo
Heart Disease	Improved in 60 days	Kuninaka Hospital	Dr Kuninaka Hironage
Osteoporosis	Improved in 60 days	Kobe Union Hospital	Dr Munenori Kawaharu
High Cholesterol	Revert to normal in 30 days	Kajibashi Clinics	Dr Naoto Nishio
Frozen Shoulder	Recovered in 14 days	Kajibashi Clinics	Dr Naoto Nishio
Nausea and vomiting	Improved in 2 days	Juntendo Medical Surgical	Dr Kenzo Kogure
Eczema	Cured in 60 days	Gyeongbok Clinics	Dr Osamu Tamura
Asthma	Improved after 90 days	Kuninaka Hospital	Dr Kuninaka Hironage
Ketosis	Cured	Watanabe Hospital	Dr Ken Watanabe
Dermatitis	Cured in 30 days	Ogi Hospital	Dr Kenzo Ogi

## EXPERT QUOTES



In his book,  
The pH Miracle  
says it this way



The pH level of our internal fluids affects every cell in our bodies. In summary, over-acidification interferes with life itself leading to an unhealthy, and overly acidic environment inside the body. The most powerful program to reduce or eliminate these effects is to remove acid from the blood and tissues with an alkaline lifestyle and wise dietary and water consumption choices. If someone were to ask me, What is the one thing I can do to have better health? The answer would be very simple, Start drinking alkalized and ionized water!

*Researcher Dr Robert O. Young, PhD*

---



Drinking four to six glasses of alkaline water a day will help to neutralize over acidity and over time will help to restore your buffering ability. Alkaline water should be used when conditions of over acidity develop, such as cold, flu or bronchitis.

*University lecturer and author of The Chemistry Of Success Dr. Susan Lark, M.D.*

---



Drinking water that has high alkaline pH, because of its de-acidifying effect, will help in preventing cancer. In Asia, alkaline water is regularly served to patients, and is considered a regular part of treatment.

*Dr Keiichi Morishita, Director of the Ochanomizu Clinic in Japan and the head of the International Natural Medicine Association*

---



All the while I thought that Vitamins C,E and carotene & Chinese herbs were effective in removing Free Radicals. However, I was surprised to find in my experiments that, Ionized Water can removed up to 75% of the free radicals in our blood.

*Dr. Kenneth H. Cooper,  
The Father of preventive medicine & author of "Antioxidant Revolution"*

---



Ionized Water has shown miraculous results against diabetes, rheumatism, kidney ailment, chronic hepatitis, hypertension, asthma and etc...

*Dr. Lui Feng Zhou, Professor of Taipei Medical College*

# WITH PROVEN RESULTS

e.ions®

E-IONS Ionized healthy water only for improvement, any disease please consult with your doctor



Improve in Glucose Level



Dengue Fever



Breast Cancer, more energetic



Improvement in Bad Breath



Sensitive Nose, Acid Reflux



Stroke



Diabetes, Wound



Before



After



Epilepsy, Cough



Fatigue, Skin Problem



Weight loss 10kg



Glucose Level Reduced



小孩脚敏感  
每天晚上用E-IONS酸性水泡脚  
大约1个星期多，可以看见脚的皮肤好了非常多



Heal Injury



Numbness on Arms & Leg, Freckles



Improvement in Liver Function and Vision



Tumor, Diabetes

PH3

PH4

PH5

PH6

PH7

PH7.35-7.40  
Healthy human blood

PH8

PH9

PH10

ACIDIC

Bread, Meat, Sugar, Alcoholic drinks, Egg yolk & etc

NEUTRAL

Seaweed, Spinach, Apples, Potato & etc

ALKALINE

# ALL DISEASES COME FROM TURBID BLOOD

Large amount of meat, carbonated beverage, high-cholesterol food...



Unhealthy eating habits



- ✓ Organ functions slowed
- ✓ Cell functions impaired
- ✓ Detoxification process weaken
- ✓ Metabolic rate declined
- ✓ Leads to kidney & liver disease.

**ACID Constitution**



Formation of free radicals

Uric Acid

Diabetes

Hypertension

Heart Attack

Cancer



Modern Diseases




Restriction of Hazardous Substances Directive



Full test Report (133 parts)

All parts (internal and external) are SIRIM accredited



ISO 9001 Cert

SGS Cert

ETA Test Report

EMC Compliance Test Report

Germany TUV Cert

Japan ACF Report

Ministry of Health Cert (Japan)

Cert of Utility Model Reg. (Jpn)

Cert of Kobe Steel (Japan)

U.S.A. NSF Hose Cert

# E-IONS Acidic Water passed ALS inspection report



## CERTIFICATE OF ANALYSIS

Work Order	ES1930386	Page	1 of 10
Accession	2		
Client	E-IONS CORPORATION CON BHD	Laboratory	For more details please Sydney
Contact	MICHELLE	Contact	Customer Services CD
Address	46-1, JENDEBA, TAMAN MASTARA KUALA LUMPUR 51200	Address	277-289 Woodbank Road Smithfield NSW Australia 2164
Telephone	---	Telephone	+61 2 6734 8555
Fax	---	Date Sample Received	18-Sep-2018 10:00
Order number	---	Date Analysis Commenced	18-Sep-2018
Q-0-0 number	---	Issue Date	24-Feb-2020 11:58
Grade	---		
Q#	---		
Q# number	E V233		
No. of sample received	1		
No. of sample analysed	1		



Accreditation No. 424  
In compliance with ISO/IEC 17025:2005  
NATA 17025:2005 Testing

This report supersedes any previous reports with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, copied in full.

The Certificate of Analysis contains the following information:

- General Comments
- Analysis Results
- Surrogate Control Levels

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, CAPA Compliance Assessment in accord with Quality Review and Sample Receipt Notification.

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21-CFR-Part 11.

Signature	Position	Approval Category
Alex Rossi	Organic Chemist	Sydney Organics, Smithfield, NSW
Neil Joki	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Celine Conzelmann	Senior Spectroscopist	Sydney Inorganics, Smithfield, NSW
Franco Lumbis	LIMS Coordinator	Sydney Organics, Smithfield, NSW
Lee Nguyen	Senior Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Van Taylor	Analyst	Sydney Inorganics, Smithfield, NSW
Toni DeCosta	Senior Microbiologist	Sydney Microbiology, Smithfield, NSW



# E-IONS Acidic Water passed ALS inspection report

Test: 01 of 1  
 Print Order: 1500000000  
 Date: 11/11/2015  
 Request: E-IONS CORPORATION-SW-001



## Analytical Results

Sample ID: MF1002000001  
 E-IONS BEAUTY WATER

**Microbial Challenge Test**  
 METHOD: USP <51>

Test Organism	Inoculum Count (cfu/ml)	Contact Time: 0 Min		Contact Time: 2 Min		Contact Time: 1 Hour		Contact Time: 3 Hour		Contact Time: 4 Hour	
		Result (cfu/ml)	Percentage of Bacteria Reduced (%)	Result (cfu/ml)	Percentage of Bacteria Reduced (%)	Result (cfu/ml)	Percentage of Bacteria Reduced (%)	Result (cfu/ml)	Percentage of Bacteria Reduced (%)	Result (cfu/ml)	Percentage of Bacteria Reduced (%)
<i>Leishmania adovans</i> ATCC 10291	2.1 X 10 <sup>6</sup>	1.5 X 10 <sup>5</sup>	23.6	1.2 X 10 <sup>6</sup>	42.9	6.0 X 10 <sup>4</sup>	98.0	<1	>99.9	<1	>99.9
<i>Aspergillus niger</i> ATCC 10405	1.9 X 10 <sup>6</sup>	1.8 X 10 <sup>5</sup>	8.3	1.6 X 10 <sup>6</sup>	15.8	1.5 X 10 <sup>5</sup>	91.1	1.2 X 10 <sup>5</sup>	21.6	1.1 X 10 <sup>5</sup>	42.1
<i>Bacillus coli</i> ATCC 6339	3.7 X 10 <sup>6</sup>	7.4 X 10 <sup>4</sup>	18.9	3.4 X 10 <sup>6</sup>	49.4	3.1 X 10 <sup>5</sup>	89.5	2.2 X 10 <sup>5</sup>	32.3	2.7 X 10 <sup>5</sup>	69.0
<i>Pseudomonas aeruginosa</i> ATCC 9021	4.6 X 10 <sup>5</sup>	5.0 X 10 <sup>5</sup>	17.4	3.6 X 10 <sup>5</sup>	21.7	3.2 X 10 <sup>5</sup>	30.4	3.1 X 10 <sup>4</sup>	93.3	2.4 X 10 <sup>4</sup>	94.8
<i>Staphylococcus aureus</i> ATCC 6538	9.6 X 10 <sup>5</sup>	4.8 X 10 <sup>5</sup>	10.2	6.4 X 10 <sup>5</sup>	14.3	7.3 X 10 <sup>4</sup>	25.0	6.2 X 10 <sup>5</sup>	21.6	6.3 X 10 <sup>5</sup>	33.7
<i>Enterococcus faecalis</i> ATCC 29212	3.3 X 10 <sup>5</sup>	<1	>99.9	<1	>99.9	<1	>99.9	<1	>99.9	<1	>99.9
UNIDENTIFIED BACTERIA											

<1 - NOT DETECTED

**Kill >99.9% Bacteria**



# E-IONS Acidic Water passed ALS inspection report

Page: 1 of 12  
 View Data: 05/10/2018 Amendment:  
 Client: E-IONS CORPORATION/TOLSON FACT  
 Report:



## Analytical Results

Substrate	Method	Units	Result	Units	Result	Units	Result
Substrate: WATER	Distillate ID		41200574				
Substrate: WATER	Electrode ID		1154c-0911				
Component	Unit	Code	Unit	Code	Unit	Code	Unit
04000: pH by PC Titration			5.55				
04000: pH by PC Titration			5.55				
04000: Conductivity by PC Titration			174				
04000: Total Dissolved Solids dried at 100 ± 5 °C			88				
04000: Total Dissolved Solids @ 100 °C			88				
04000: Chloride (Cl <sup>-</sup> )			<1				
04000: pH Determination			5.55				
04000: Turbidity			<0.1				
04000: Total Hardness as CaCO <sub>3</sub>			35				
04000: Total Hardness as CaCO <sub>3</sub>			35				
04000: Alkalinity by PC Titration			35				
04000: Hydroxide Alkalinity as CaCO <sub>3</sub>			0				
04000: Carbonate Alkalinity as CaCO <sub>3</sub>			35				
04000: Bicarbonate Alkalinity as CaCO <sub>3</sub>			35				
04000: Total Alkalinity as CaCO <sub>3</sub>			35				
04000: Sulfate (Sulfate) as SO <sub>4</sub> <sup>2-</sup> by SA			0				
04000: Sulfate (Sulfate) as SO <sub>4</sub> <sup>2-</sup> by SA			0				
04000: Minerals by Standard Analyzer			30				
04000: Total Dissolved Solids (TDS)			88				
04000: Calcium			5				
04000: Magnesium			5				
04000: Sodium			30				
04000: Potassium			7				
04000: Total Solids by EPA 8230			1001				
04000: Chloride			<0.001				
04000: Silver			<0.001				
04000: Arsenic			<0.001				
04000: Boron			4.38				
04000: Lithium			0.001				
04000: Cadmium			<0.001				

pH Test →

Mineral Test →



**RESULT**

**PP Polypropylene**  
Removes sand silt, dirt and rust



Tap Water

**UF Membrane (0.01-0.1µm)**  
Removes bacteria, viruses, clay, asbestos and humic substances



**NSF USA NSF Approval**  
National Sanitation Foundation

**NSF GAC Carbon**  
Removes chlorine, benzene and organic/inorganic chemicals from tap water

UNITIKA  
ユニチカ



**Japan UNITIKA Filter (ISO9001)**

- Refine Shell — Removes organic substances
- Coal material — Eliminates soluble lead
- Special Ion-exchange material — Removes chlorine residues
- Coal Fiber — Removes Bacteria & small particles
- Active Carbon — Kills 99.9% of bacteria
- Anti-bacteria Active Carbon — Remove Chlorine
- Silver Nano — Filter Cartridge imported from Japan Unitika Company Removes lead & added carbon filter that can remove bacteria from water



**Far Infrared**

- Far Infrared - Activation of cell
- Reduces "coldness" of water



Energy Water

Hydrogen Water

Alkaline Water

Hydrogen Rich Water

Ionized Water

Negative Ion Water

=

**E-IONS**  
Ionized  
Hydrogen  
Water

It's not just water,  
It is water for your family's health

**OH<sup>-</sup> Benefit of Ionized Water**

-  Neutralise Oxypathy
-  Produce clean air and ions
-  Detoxification & boost metabolism
-  Suitable to use to wipe watches and jewelry
-  Help remove excess fat
-  Can be used to clean mirror, removal of grease, dust and fingerprints
-  For cooking and daily consumption
-  Elimination of underarm odor
-  Produce clean air and ions in the office
-  To be used in car after 30 minutes drive. This will increase ions in the vehicle to produce cleaner air


**H<sup>+</sup> Benefit of Hydrogen Water**

-  Elimination of eye irritation
-  Brightening & whitening
-  Elimination of dandruff for smoother hair
-  Elimination of vaginal discharge
-  Elimination of bad breath
-  Elimination of bacteria and odor
-  Effectively improve sore throat
-  Elimination of odor from feet and shoes
-  Healing scars caused by burns or cuts
-  Ease the swelling of mosquito bites
-  Elimination of bacteria from steering wheel
-  Treatment of skin diseases
-  Elimination of bacteria inside a car



### Hydrogen mineral water

- Hydrogen water helps to balance the body's pH by removing acidic toxins through detoxification process
- Maintain Calcium, Magnesium, Potassium, Sodium & other ionized minerals in the water



### Smaller water molecules

- Hydrogen water molecules are 2x smaller resulting in faster absorption and keeping cells hydrated
- Ideal for cooking as it enhances the flavors of all foods

### High anti-oxidant content

- Oxidation Reduction Potential (ORP) ranging from -950mv to -1600mv
- Anti-oxidants are proven to be best in neutralizing and eliminating harmful free radicals, therefore effectively preventing various age-related and modern diseases

### Powerful anti-bacteria agent (pH3.5)

- Use in cleaning and disinfecting household surfaces
- Natural antiseptic for cuts, wounds, burns and insect bites
- Effective in cleansing chemical residues from raw food materials
- Act as mouth wash to eliminate germs or gargle to soothe sore throat



### Improve skin conditions and problems

- Removes dirt and excess oil to gradually improve skin complexion (acnes & blemishes)
- Relief for dry, itchy or chapped skin (eczema, psoriasis & athlete's foot)

### Beauty & Hair Care (pH5.5 ~ pH6)


- Replica to toner in keeping skin hydrated, natural whitening skin care
- Good for hair scalp and helps improve dandruff problems

# THE SMALLEST WATER MOLECULES in the market

## Test Report for 0-NMR

SMALL MOLECULE WATER (31<sup>ST</sup> OCTOBER 2017)

Report from : Industrial Technology Research Institute





# Electrolysis No.1

Japan Platinum Baked Titanium  $2.0\mu\text{m}$  per pc




NOW UPGRADED TO

**$2.26\mu\text{m}$**  per pc



**FULLY IMPORTED FROM JAPAN**  
**DIY Replacement Diaphragm**

- Japan Platinum Baked Titanium Electrode Plate
- Japanese Ceramic Electrolysis Diaphragm  
 (the electrolysis diaphragm can be replaced via DIY to reduce cost and time)



# Analysis Result of E-IONS Pure Titanium Class 1 From Japan KOBE-Steel

KOBE Steel

Available manufacturing scope of Commercially pure titanium products (K2401, K348, X350, K390, JIS Class-1, JIS Class-2, ASTM B3, ASTM B35)

Sheet thickness (mm)	Welding	Tensile	Yield	Welding		Surface Finishing (KOBELCO Standard)
				Welding	Welding	
0.50mm < 0.90mm	K2401	K348	K350	K390	JIS Class-1 and ASTM Class-A1 only	BA
0.90mm < 1.00mm						
1.00mm < 1.50mm	K2402	K348	K350	K390	JIS Class-1 and ASTM Class-A1 only	No. 1
1.50mm < 2.00mm						

## OWN PATENTS RIGHTS



Pure Titanium

JIS Class-1

Heavy Metals  
Non-Detected

Platinum  
Non-Detected

Phthalate Plasticizers  
Non-Detected

Taiwan Patents  
No.M548590



Staphylococcus Aureus Non-Detected

Latest Report of SGS  
Date : 13 April 2015

China Patents  
No.ZL 2017 2 0330284.X

**NON-DETECTED**

Lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl and polybrominated biphenyl ether flame retardants

# New New VIP Package



Code	Total Platinum (2.26µm/pcs)	Total Electrode Plate	ORP	MP	Start From	VIP (WM)	VIP (EM)	PTS
NS1582TB Peach Red / Apple Green / Yellow / Black / Transparent Blue / Gold	<b>15.82µm</b>	7 pcs	-1600 mv	15,880	<b>RM383</b>	13,800	13,900	3,100
NS1582 Crystal White, Platinum Silver, Light Blue, Rose Pink	<b>15.82µm</b>	7 pcs	-1600 mv	15,800	<b>RM378</b>	13,600	13,700	3,100
NS1130 Crystal White only	<b>11.30µm</b>	5 pcs	-990mv	11,600	<b>RM267</b>	9,600	9,700	2,600
NS678 Crystal White only	<b>6.78µm</b>	3 pcs	-500mv	9,200	<b>RM197</b>	7,100	7,200	2,000
NS452 Crystal White only	<b>4.52µm</b>	2pcs	-300mv	6,875	<b>RM153</b>	5,500	5,600	1,700

Purchase any E-IONS water machine and get the following freebies:



PMC Purifying Water System



- FREE 2 YEARS**
- ✓ Parts Maintenance & Filter
  - ✓ Membership
  - ✓ 6 times Service
- Worth **RM1500**





# EASY PAYMENT

12 Mths



18 Mths



24 Mths



36 Mths



\* Price shown is inclusive of 6% SST

\* Terms and condition apply

\* Discounted bills will commence from the service activation date, not subscription date

## E-IONS CUSTOMER SERVICE

+6016-225 3598 / +60106-228 3593 / +6012-226 0523